

Sharp 8M-B120C  
LCD 120" 8K Professional Display

## Datasheet



### **Life-size images. Life-like quality. Making a real difference.**

Showcase products and highlight every little detail like never before. The 120" 8M-B120C is the largest Sharp 8K UV<sup>2</sup>A LCD electronic display for professional use. At the very leading edge of the pro-display market, it allows commercial, manufacturing, financial, media, medical and government organisations to deliver the ultimate in image precision and clarity.

It produces beautiful, large scale images with a stunning 8K resolution, setting a new benchmark for image quality, while also ensuring that fine text is precise and legible. Images are displayed large enough to accommodate big objects, up to 265cm wide, making it possible to showcase things like a life-size, striking new motorcycle model in lifelike 8K resolution with HDR (HLG/PG) expanded contrast and colour.

## Benefits

**See everything much more clearer** - with its huge 4 m<sup>2</sup> LCD panel the 8M-B120C can display the equivalent of 4x 60" 4K or 16x 30" Full-HD images on a single display.

**A more immersive experience** - with 600 cd/m<sup>2</sup> brightness (or up to 1000 cd/m<sup>2</sup> Peak Level) and HDR (High Dynamic Range technology) colours look incredibly realistic.

**Easy connection** - always pure 8K content via a single 8K HDMI cable.

**High performance, low cost** - fewer displays are required to show same amount of content without sacrificing image quality.

**Designed to perform** - compatible with the Daniel2 code for 8K.

## Product Information

Product Name	Sharp 8M-B120C
Product Group	LCD 120" 8K Professional Display
Order Code	60005544

## Display

Panel Technology	UV <sup>2</sup> A with direct LED backlight
Active Screen Area (W x H) [mm]	2,693.28 x 1,530.72
Screen Size [inch/cm]	120 / 304.8
Aspect Ratio	16:9
Local Dimming	2048 zone
Pixel Pitch [mm]	0.346 x 0.346
Brightness [cd/m <sup>2</sup> ]	1000 Peak Brightness (HDR); 600
Contrast Ratio (typ.)	4000:1; Dynamic: 1000000:1
Viewing Angle [°]	178 horizontal / 178 vertical (typ. at contrast ratio 10:1)
Colour Depth [bn]	1.073 (10bit)
Colour Gamut	BT2020 80 %
HDR	HLG; PQ
Response Time (typ.) [ms]	8
Panel Refresh Rate [Hz]	120
Haze Level [%]	Standard (3)
Supported Orientation	Landscape

## Resolution

Native Resolution	7680 x 4320			
Supported Resolutions	1024 x 768;	1280 x 960;	1680 x 1050;	640 x 480;
	1280 x 1024;	1360 x 768;	1920 x 1080;	800 x 600;
	1280 x 720;	1400 x 1050;	3840 x 2160;	848 x 480
	1280 x 800;	1440 x 900;	4096 x 2160;	

## Connectivity

Input Video Analogue	1 x D-sub 15 pin
Input Video Digital	HDMI Input 1 / HDMI2.0, HDCP2.2, 4K60P, YCbCr 4:4:4; HDMI Input 2 / HDMI2.0, HDCP2.2, 4K60P, YCbCr 4:2:0, ARC; HDMI Input 3 / HDMI2.0, HDCP2.2, 4K60P, YCbCr 4:2:0; HDMI Input 4 / HDMI2.0, HDCP2.2, 4K60P, YCbCr 4:2:0; HDMI Input 7 / 4x HDMI2.0, 4K60P (8K), HDR, YCbCr 4:4:4; HDMI Input 8 / HDMI2.1, HDCP2.2, 8K60P, HDR, YCbCr 4:2:0 / 4:4:4
Input Audio Analogue	1 x 3,5 mm jack
Input Audio Digital	5 x HDMI
Input Control	LAN 100Mbit
Input Data	1 x USB A (3.0); 1 x USB Medaplayer
Output Audio Analogue	3,5mm jack
Output Audio Digital	1 x SPDIF

## Electrical

Power Consumption Eco/max. [W]	1520 (max.)
Power Savings Mode [W]	< 0.5; < 2 (Networked Standby)
Power Supply	100-240 V AC; 50/60 Hz; internal

## Environmental Conditions

Operating Temperature [°C]	+0 to +40
Operating Humidity [%]	20 to 80
Storage Humidity [%]	10 to 90
Storage Temperature [°C]	-20 to 60

## Mechanical

Dimensions (W x H x D) [mm]	Without stand: 2,717 x 1,566 x 173
Weight [kg]	Without stand: 187
Bezel Width [mm]	27 (bottom); 27 (left and right); 27 (top)
VESA Mounting [mm]	6 holes; 800 x 400 (FDMI); 800 x 800 (FDMI); M8
Packaging Dimensions (W x H x D) [mm]	2,940 x 1,870 x 973
Packaging Weight [kg]	380

## Available Options

Accessories	2x Eye Bolts; Wall Mount Holder
-------------	---------------------------------

## Green Features

Energy Efficiency	Energy consumption: 1300 kWh/1000 h; Energy efficiency class: G; LED backlight
-------------------	--

## Additional Features

Special Characteristics	ASCII Control Commands; CEC Support; USB Media Player
Colour Versions	Black Front Bezel, Black Back Cabinet
Safety and Ergonomics	CE; EAC; RoHS
Audio	Integrated Speaker (built-in Subwoofer: 15 W); Integrated Speakers (4 x 10 W)
Shipping Content	2x AAA batteries; Display; Power Cable; Remote Control; Setup Manual; Wall Mount
Warranty	3 years warranty incl. backlight; on-site service
Operating Hours	16/7
External Control	ASCII Control Commands; HDMI CEC



RoHS



CE

This document is © 2023 Sharp NEC Display Solutions Europe GmbH.

All rights reserved in favour of their respective owners. All hardware and software names are brand names and/or registered trademarks of the respective manufacturers. All specifications are subject to change without notice. Errors and omissions are excepted. 30.03.2023